



AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claim 1. (Currently Amended) A thermoplastic resin composition comprising 100 parts by weight in total consisting of 99 to 50 parts by weight of a thermoplastic polyester resin (A) which does not form an anisotropic molten phase selected from the group consisting of polycarbonate resin, polyethylene terephthalate resin, polybutylene terephthalate resin, polyarylate resin, and mixtures thereof, and 1 to 50 parts by weight of a liquid crystal polymer (B) capable of forming an anisotropic molten phase, and 0.001 to 2.0 parts by weight of one or more kinds of compounds (C) selected from phosphorus oxoacid monoesters and diesters represented by the following formulae (I) and (II):



wherein n is 1 or 2; X is a hydrogen atom, a hydroxyl group or a monovalent organic group and, when there are plural X's, they may be the same or different; and R is a monovalent organic group and, when there are plural R's, they may be the same or different.


Claim 2. (Canceled).

Claim 3. (Currently Amended) The composition according to claim 1, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase ~~includes~~ is one or more kinds of resins selected from polycarbonate resin and polyarylate resin.

Claim 4. (Original) The composition according to claim 1, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase is polycarbonate resin.

Claim 5. (Currently Amended) The composition according to claim ~~2~~ 1, wherein the ~~polyalkylene terephthalate resin includes~~ the thermoplastic polyester resin (A) is polyethylene terephthalate resin and/or polybutylene terephthalate resin.

Claim 6. (Previously Presented) The composition according to claim 1, wherein the phosphorus oxoacid monoester and diester (C) are phosphonates represented by the following formula (III):



wherein m is 0 or 1 and R is a monovalent organic group.

Claim 7. (Canceled).


Claim 8. (Currently Amended) The composition according to claim 1, which further contains a thermoplastic resin not forming an anisotropic molten phase, ~~except for~~ other than (A) and (B), in an amount of 1 to 90 parts by weight to 100 parts by weight of the total amount of (A) and (B).

Claim 9. (Previously Presented) The composition according to claim 1, which further contains an inorganic filler in an amount of 1 to 100 parts by weight to 100 parts by weight of the total amount of (A) and (B).

Claim 10. (Presently Presented) A molded article prepared by molding the composition according to claim 1.


Claim 11. (Previously Presented) An injection molded article, wherein the liquid crystal polymer (B) capable of forming an anisotropic molten phase is present in the state of fibers having an average aspect ratio of 5 or more in a matrix of the thermoplastic polyester resin (A) not forming an anisotropic molten phase as a result of an injection molding of the composition according to claim 1.

Claim 12. (Currently Amended) The composition according to claim ~~2~~ 5, wherein the phosphorus oxoacid monoester and diester (C) are phosphonates represented by the following formula (III):




wherein m is 0 or 1 and R is a monovalent organic group.

Claim 13. (Previously Presented) The composition according to claim 3, wherein the phosphorus oxoacid monoester and diester (C) are phosphonates represented by the following formula (III):



wherein m is 0 or 1 and R is a monovalent organic group.

Claim 14. (Previously Presented) The composition according to claim 4, wherein the phosphorus oxoacid monoester and diester (C) are phosphonates represented by the following formula (III):



wherein m is 0 or 1 and R is a monovalent organic group.

Claim 15. (Canceled).

Claim 16. (Canceled).


Claim 17. (Currently Amended) The composition according to claim 2 3, which further contains a thermoplastic resin not forming an anisotropic molten phase, ~~except for~~ other than (A) and (B), in an amount of 1 to 90 parts by weight to 100 parts by weight of the total amount of (A) and (B).

Claim 18. (Currently Amended) The composition according to claim 2 3, which further contains an inorganic filler in an amount of 1 to 100 parts by weight to 100 parts by weight of the total amount of (A) and (B).

Claim 19. (Currently Amended) A molded article prepared by molding the composition according to claim 2 3.

Claim 20. (Currently Amended) An injection molded article, wherein the liquid crystal polymer (B) capable of forming an anisotropic molten phase is present in the state of fibers having an average aspect ratio of 5 or more in a matrix of the thermoplastic polyester resin (A) not forming an anisotropic molten phase as a result of an injection molding of the composition according to claim 2 3.

Claim 21. (Previously Presented) A thermoplastic resin composition comprising 100 parts by weight in total consisting of 99 to 50 parts by weight of a thermoplastic polyester resin (A) which does not form an anisotropic molten phase and 1 to 50 parts by weight of a liquid crystal polymer (B) capable of forming an anisotropic molten phase, and 0.001 to 2.0 parts by weight of one or more phosphonates (C) represented by the following formula:



wherein Y is a divalent α , ω -dioxy organic group.

Claim 22. (Previously Presented) The composition according to claim 21, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase includes one or more kinds of resins selected from polycarbonate resin, polyalkylene terephthalate resin and polyarylate resin.

Claim 23. (Previously Presented) The composition according to claim 21, wherein the thermoplastic polyester resin (A) not forming an anisotropic molten phase includes one or more kinds of resins selected from polycarbonate resin and polyarylate resin.

Claim 24. (New) The composition according to claim 4, which further contains a thermoplastic resin not forming an anisotropic molten phase, other than (A) and (B), in an amount of 1 to 90 parts by weight to 100 parts by weight of the total amount of (A) and (B).

Claim 25. (New) The composition according to claim 5, which further contains a thermoplastic resin not forming an anisotropic molten phase, other than (A) and (B), in an amount of 1 to 90 parts by weight to 100 parts by weight of the total amount of (A) and (B).

Claim 26. (New) A molded article prepared by molding the composition according to claim 4.

Claim 27. (New) A molded article prepared by molding the composition according to claim 5.

Claim 28. (New) An injection molded article, wherein the liquid crystal polymer (B) capable of forming an anisotropic molten phase is present in the state of fibers having an average aspect ratio of 5 or more in a matrix of the thermoplastic polyester resin (A) not forming an anisotropic molten phase as a result of an injection molding of the composition according to claim 4.

Claim 29. (New) An injection molded article, wherein the liquid crystal polymer (B) capable of forming an anisotropic molten phase is present in the state of fibers having an average aspect ratio of 5 or more in a matrix of the thermoplastic polyester resin (A) not forming an anisotropic molten phase as a result of an injection molding of the composition according to claim 5.